


Chromatography Products

QuEChERS Kit

High-Quality Solutions for Efficient Sample Preparation



Efficiency
Versatility
High Purity Materials

Solid
Phase
Extraction
InertSep

Quick, Easy, Cheap, Effective, Rugged, and Safe.

GL Sciences, with a legacy spanning over half a century since its founding in 1968, is proud to present its new InertSep QuEChERS Kit.

Our extensive experience in manufacturing high-quality chromatography products ensures that this kit meets the highest standards of purity and performance.

Key Features:

High Purity Materials: Utilizes top-quality materials to guarantee maximum extraction efficiency and reproducibility.

Compatibility: Complies with international standards such as AOAC and EN protocols, ensuring consistent results.

Original 2003 Method:

Analysis of pesticide residues

A simple and effective protocol for extracting various compounds in one step.

AOAC 2007.01 Method:

Analysis of acidic or basic compounds

A variation optimized for acidic pesticides, involving pH adjustments and the addition of specific buffering agents (buffers).

EN 15662 Method:

Analysis of pesticide residues in food within Europe

A European standard based on QuEChERS, focused on plant-based foods, using acetonitrile extraction and dSPE for clean-up.


NY/T 1380-2007 Method:

Analysis of pesticide residues in food in China



A Chinese agricultural standard based on QuEChERS, designed for multi-class pesticide residue analysis, with acetonitrile extraction and dSPE.

User-Friendly: Clear instructions and easy-to-use components make it accessible for both novice and experienced users.


The solid-phase extraction (SPE) cleanup step in the QuEChERS method is critical for effectively removing impurities from samples. It can efficiently eliminate impurities such as organic acids, sugars, fatty acids, pigments, chlorophyll, and carotenoids from food samples, thereby enhancing the accuracy and reliability of the subsequent analyses using LC/MS or GC/MS.




Pesticides with triazole, triazine, or pyrimidine groups are known to have polar characteristics, making them prone to adsorption on the silanol groups of solid-phase extraction bulk materials, which can result in poor recovery rates. The material used in GL Sciences' QuEChERS Kit exhibits high inertness, reducing secondary adsorption effects and thereby enhancing the reliability of the analyses of these pesticides.



Cyproconazole



Hexaconazole



Difenoconazole



Extraction Kit

| Cat.No. | Descriptions | Kit | Qty | Method |
|------------|--|---------------|-------|--------------|
| 5010-10000 | 6 g MgSO ₄ , 1.5 g NaOAc with 50 mL Centrifuge Tube | Tube & packet | 50/pk | AOAC 2007.01 |
| 5010-10001 | 6 g MgSO ₄ , 1.5 g NaOAc | packet | 50/pk | AOAC 2007.01 |
| 5010-10002 | 4 g MgSO ₄ , 1 g NaCl, 1 g Trisodium Citrate, 0.5 g Disodium citrate with 50 mL Centrifuge Tube | Tube & packet | 50/pk | EN 15662 |
| 5010-10003 | 4 g MgSO ₄ , 1 g NaCl, 1 g Trisodium Citrate, 0.5 g Disodium citrate | packet | 50/pk | EN 15662 |

dSPE Kit

| Cat.No. | Volume | MgSO ₄ (mg) | PSA (mg) | C18 (mg) | GCe (mg) | Si (mg) | Qty | Sample Type | Method |
|------------|--------|---------------------------|-------------|-------------|-------------|------------|--------|--|----------------------------|
| 5010-10010 | 2 mL | 150 | 25 | - | - | - | 100/pk | General Fruits and Vegetables | EN Original |
| 5010-10011 | 2 mL | 150 | 50 | - | - | - | 100/pk | | AOAC 2007.01 |
| 5010-10012 | 15 mL | 900 | 150 | - | - | - | 50/pk | | EN Original |
| 5010-10013 | 15 mL | 1200 | 400 | - | - | - | 50/pk | | AOAC 2007.01 |
| 5010-10014 | 2 mL | 150 | 25 | 25 | - | - | 100/pk | Foodstuffs with fats and waxes | Mini-multiresidue |
| 5010-10015 | 2 mL | 150 | 50 | 50 | - | - | 100/pk | | AOAC 2007.01 |
| 5010-10016 | 15 mL | 1200 | 400 | - | 400 | - | 50/pk | | AOAC 2007.01 |
| 5010-10017 | 15 mL | 900 | 150 | 150 | - | - | 50/pk | | EN 15662 |
| 5010-10018 | 15 mL | 1200 | 400 | 400 | - | - | 50/pk | AOAC 2007.01 | |
| 5010-10019 | 2 mL | 150 | 25 | - | 2.5 | - | 100/pk | Pigmented fruits and vegetables | EN 15662 |
| 5010-10020 | 2 mL | 150 | 50 | - | 50 | - | 100/pk | | AOAC 2007.01 |
| 5010-10021 | 15 mL | 1200 | 400 | 400 | 400 | - | 50/pk | | AOAC 2007.01 |
| 5010-10022 | 15 mL | 900 | 150 | - | 15 | - | 50/pk | | EN 15662 |
| 5010-10023 | 2 mL | 150 | 25 | - | 7.5 | - | 100/pk | Highly pigmented fruits and vegetables | EN 15662 |
| 5010-10024 | 2 mL | 150 | 50 | 50 | 50 | - | 100/pk | | AOAC 2007.01 |
| 5010-10025 | 15 mL | 900 | 150 | - | 45 | - | 50/pk | | EN 15662 |
| 5010-10032 | 15 mL | 900 | 300 | - | 150 | - | 50/pk | | - |
| 5010-10026 | 2 mL | 150 | - | 25 | - | - | 100/pk | Drug Residues in Meat | AOAC 2007.01 |
| 5010-10027 | 15 mL | 900 | - | 150 | - | - | 50/pk | | AOAC 2007.01 |
| 5010-10028 | 2 mL | 150 | 50 | 50 | 7.5 | - | 100/pk | General Purpose | AOAC 2007.01 |
| 5010-10029 | 15 mL | 1200 | 400 | 400 | 45 | - | 50/pk | | AOAC 2007.01 |
| 5010-10030 | 15 mL | 900 | 300 | 300 | 90 | 300 | 50/pk | - | 2020 Chinese Pharmacopoeia |
| 5010-10031 | 15 mL | 300 | 100 | 100 | - | - | 50/pk | - | NY/T 1380-2007 |

Ceramic Homogenizers

| Cat.No. | Descriptions | Qty |
|------------|--------------|--------|
| 5010-10050 | 50 mL | 100/pk |
| 5010-10051 | 15 mL | 100/pk |
| 5010-10052 | 2 mL | 200/pk |

Bulk Material

| Descriptions | Particle Size | Qty | Cat.No. |
|--------------|---------------|-------|------------|
| C18 | 60 um | 100 g | 5010-69000 |
| PSA | 60 um | 100 g | 5010-69021 |
| GCe | - | 100 g | 5010-89116 |

GL Sciences disclaims any and all responsibility for any injury or damage which may be caused by this data directly or indirectly.

We reserve the right to amend this information or data at any time and without any prior announcement. Please note that, in the interests of continuous improvement, models or specifications are subject to change without notice. Please also note that the company name and product name appearing in this catalogue are the trademark or registered trademark of each corresponding company. In the descriptions in this catalogue, TM and R marks are not used.

Contact us or your local GL Sciences representative.


<https://www.glsciences.com/contactus/index.php>

Authorized distributor:

<https://www.glsciences.com/company/distributor.html>



<https://www.glsciences.com>
E-Mail world@glsc.co.jp



LEACSA

www.leacsa.com